Subpart 223.3 - HAZARDOUS MATERIAL IDENTIFICATION, MATERIAL SAFETY DATA, AND NOTICE OF RADIOACTIVE MATERIALS

Parent topic: Part 223 - ENVIRONMENT, SUSTAINABLE ACQUISITION, AND MATERIAL SAFETY

223.302 Hazardous material identification and notice of material safety data.

(e) The contracting officer shall also provide hazard warning labels, that are received from apparent successful offerors, to the cognizant safety officer.

223.304 Contract clause.

Use the clause at $\underline{252.223-7001}$, Hazard Warning Labels, in solicitations and contracts which require submission of hazardous material data sheets (see FAR 23.302(c)).

223.370 Safety precautions for ammunition and explosives.

223.370-1 Scope.

(a) This section applies to all acquisitions involving the use of ammunition and explosives, including acquisitions for—

- (1) Development;
- (2) Testing;
- (3) Research;
- (4) Manufacturing;
- (5) Handling or loading;
- (6) Assembling;
- (7) Packaging;
- (8) Storage;
- (9) Transportation;
- (10) Renovation;

(11) Demilitarization;

(12) Modification;

(13) Repair;

(14) Disposal;

(15) Inspection; or

(16) Any other use, including acquisitions requiring the use or the incorporation of materials listed in paragraph (b) of this subsection for initiation, propulsion, or detonation as an integral or component part of an explosive, an ammunition, or explosive end item or weapon system.

(b) This section does not apply to acquisitions solely for—

(1) Inert components containing no explosives, propellants, or pyrotechnics;

(2) Flammable liquids;

(3) Acids;

(4) Oxidizers;

(5) Powdered metals; or

(6) Other materials having fire or explosive characteristics.

223.370-2 Definition.

"Ammunition and explosives," as used in this section, is defined in the clause at 252.223-7002, Safety Precautions for Ammunition and Explosives.

223.370-3 Policy.

(a) DoD policy is to ensure that its contractors take reasonable precautions in handling ammunition and explosives so as to minimize the potential for mishaps.

(b) This policy is implemented by DoD Manual 4145.26, DoD Contractors' Safety Manual for Ammunition and Explosives, which is incorporated into contracts under which ammunition and explosives are handled. The manual contains mandatory safety requirements for contractors. When work is to be performed on a Government-owned installation, the contracting officer may use the ammunition and explosives regulation of the DoD component or installation as a substitute for, or supplement to, DoD Manual 4145.26, as long as the contract cites the ammunition and explosives regulation of the DoD component or installation.

223.370-4 Procedures.

Follow the procedures at PGI $\underline{223.370}$ - 4.

223.370-5 Contract clauses.

Use the clauses at $\underline{252.223-7002}$, Safety Precautions for Ammunition and Explosives, and $\underline{252.223-7003}$, Change in Place of Performance—Ammunition and Explosives, in all solicitations and contracts for acquisition to which this section applies.